



Swiss Quality



Z/P m1t Carbon Steel  THROUGHBOLT WITH WASHER MUMM1T0	Z/P m1t-C Carbon Steel  THROUGHBOLT WITH WASHER - DIN 9021 MUMM1TC	SS 316 m1tr Carbon Steel  THROUGHBOLT WITH WASHER MUMM1TR0	SS 316 m1tr-C Carbon Steel  THROUGHBOLT WITH WASHER - DIN 9021 MUMM1TRC	GreenTec® m2 Carbon Steel  THROUGHBOLT WITH WASHER MUMM200	KEY  Directly compatible with SA TS 101: 2015 and AS 5216  Fire Rated  Seismic Load Approval	
Z/P m2-C Carbon Steel  THROUGHBOLT WITH WASHER - DIN 9021 MUMM2C0	HDG m2f Carbon Steel  THROUGHBOLT WITH WASHER MUMM2F	SS 316 m2r Carbon Steel  THROUGHBOLT WITH WASHER MUMM2R0	Z/P m2-l Carbon Steel  INTERNALLY THREADED BOLT MUMM2I	SS 316 m2r-l Carbon Steel  INTERNALLY THREADED BOLT MUMM2RI	SS 316 HL-B (SZ-B) Carbon Steel  HEAVY DUTY ANCHOR HEX MUMHL4SZ	Z/P HL-S (SZ-S) Carbon Steel  HEAVY DUTY ANCHOR HEX MUMHLSSZ
Z/P HL-B (SZ-B) Carbon Steel  HEAVY DUTY ANCHOR MUMHLBSZ	Z/P HL-SK (SZ-SK) Carbon Steel  CSK HEAD HEAVY DUTY ANCHOR MUMHLSK	Zinc Flake MCS-S Carbon Steel  HEX HEAD CONCRETE SCREW HEX MUMMCSS0	Z/P MCS-SK Carbon Steel  CSK HEAD CONCRETE SCREW TORX MUMMCSSK	Z/P MCS-P Carbon Steel  PAN HEAD CONCRETE SCREW TORX MUMMCSP	Z/P MCS-I Carbon Steel  CSK SOCKET HEAD CONCRETE SCREW HEX MUMMCSI	SS 316 MCSr-S Carbon Steel  HEX HEAD CONCRETE SCREW HEX MUMMCsRS
SS 316 MCSr-SK Carbon Steel  CSK HEAD CONCRETE SCREW TORX MUMMCsRK	SS 316 MCSr-P Carbon Steel  PAN HEAD CONCRETE SCREW TORX MUMMCsRP	Z/P ESA (E) Carbon Steel  DROP IN ANCHOR MUMESA	Z/P ESAK (ES) Carbon Steel  DROP IN ANCHOR WITH COLLAR MUMESA	SS 316 ESAr (E A4) Carbon Steel  DROP IN ANCHOR MUMESARE	Z/P MEA Carbon Steel  DROP IN ANCHOR MUMMEAE0	SS 316 MEAr Carbon Steel  DROP IN ANCHOR MUMMEARE

Z/P MEA-WZ  SETTING TOOL FOR MEA WITH HAND GUARD MUMMEAWZ	Z/P MEA-SDS-PLUS Carbon Steel  SETTING TOOL FOR MEA MUMMEASD	Z/P MHDA Carbon Steel  HOLLOW CEILING ANCHOR MUMMHDA0	Z/P MAN Carbon Steel  CEILING ANCHOR MUMMAN	Z/P MMS Carbon Steel  CONCRETE FRAME ANCHOR POZI DR MUMMMS0	Z/P MEN Carbon Steel  EXPRESS NAIL MUMMEN	Z/P MDB-M  METAL DISC DIAM 38MM MUMMDBM3
--	---	--	--	--	--	---

Z/P MDB-M  METAL DISC DIAM 38MM WHITE MUMMDBMW	Z/P MRS-H Carbon Steel  TRIM HEAD 8.3 WALL SCREW TORX DR MUMMRSH	Z/P MRS-U Carbon Steel  CSK HEAD 11.5 WALL SCREW TORX DR MUMMRSU
--	--	--

Anchors and Plugs MKS-P Sample Case



MUNGO SAMPLE CASE
INCLUDES A LARGE SELECTION
OF MUNGO PRODUCTS IN A HANDY CARRY CASE
MUXMSKP

MCS Concrete screw, ETA Option 1/Part 6

HOBSON Part prefix: MUMMCSS0 <<




Features

- European Technical Assessment Option 1 for cracked and non-cracked concrete
- ETAG 001 - 06 - Approved for multiple use in cracked and non-cracked concrete for non-structural applications and in prestressed hollow core slabs
- Resistance under fire exposure F120 is part of the assessment
- The anchor may also be used under seismic influence for performance category C1 + C2
- Automatic hole cleaning with the innovative 2in1 Hollow Drill Bit (part of the assessment Ø8-14)
- User-friendly, time-saving installation
 - 3 Setting depths
 - Allows adjustment or dismantling
 - Small edge and spacing distances
 - High loads
 - Guarantees a clean and uniform appearance
 - Through fixing

Applications





railings, hand-rails, consoles, profiles, substructures, steel constructions, wooden constructions, ventilation systems, pipes, high-racks







Swiss Quality



MIT700RE	MIT-Hybrid Plus	MIT-SE Plus	MIT-SP
Pure Epoxy 	Vinylester urethane mortar, styrene free 	Vinylester mortar, styrene free 	Polyester mortar, styrene free 
440 ml  585 ml  1400 ml 	280 ml   350 ml  400 ml  825 ml 	165 ml  280 ml   300 ml  350 ml  400 ml  825 ml 	300 ml  350 ml  400 ml 
  Option 1      CONFORMS TO NSF/ANSI 61       	  Option 1      CONFORMS TO NSF/ANSI 61       	  Option 1       CONFORMS TO NSF/ANSI 61       	  ETAG 029      CONFORMS TO NSF/ANSI 61       
 Concrete C20/25 Compressive strength 25 N/mm²			
 Brick			
 Aerated Concrete (Lightweight Concrete)			






Swiss Quality



MIT-Hybrid Plus Vinylester urethane mortar, styrene free HOBSON Part prefix: MUCMTHYP <<






Features

- Automatic hole cleaning with the innovative 2in1 Hollow Drill Bit (part of the assessment)
- European Technical Assessment Option 1 for cracked and non-cracked concrete** with anchor rod and with rebar used as anchor
- European Technical Assessment for post-installed rebar connections
- Assessment of resistance under fire exposure F30-F120
- Assessment of resistance under fire exposure (Rebar)
- The anchor may also be used under seismic influence for performance category C1 + C2 (Option 1)
- VOC free according to Swiss legislation and certified A+ according to DEVL 1101903D / DEVL 1104875A
- LEED - Test Report
- Highest productivity
- Certification for drinking water systems
- High loads
- Fast curing
- Variable setting depth
- Dry, wet and water-filled drill holes**
- Suitable for overhead fixings
- Styrene free and low odour
- Colour of mortar: grey
- Indoor (zinc plated) and outdoor (stainless steel) applications



Applications






steel constructions, wooden constructions, façades, façade scaffolds, railings, high-racks, machines, staircases, ladders, cable trays, canopies, hand-rails, consoles



Temperatures

	-5÷-1°C	0÷4°C	5÷9°C	10÷14°C	15÷19°C	20÷29°C	30÷40°C
Working time, in minutes (t_{gel})	50	25	15	10	6	3	2
Curing time, dry in minutes (t_{cure})	5 h	3.5 h	2 h	1 h	40	30	30
Curing time, wet in minutes (t_{cure})	10 h	7 h	4 h	2 h	80	60	60

Installation





Swiss Quality




MIT-SP Polyester mortar, styrene free

HOBSON Part prefix: MUCMT700 <<



MIT-SP





Features

- European Technical Assessment according to ETAG 029 for use in masonry
- European Technical Assessment Option 7 for non-cracked concrete with anchor rod and with rebar used as anchor
- VOC free according to Swiss legislation and certified A+ according to DEVL 1101903D / DEVL 1104875A
- LEED - Test Report
- Suitable for assemblies in perforated brick with sleeve
- Medium duty fastening
- **Fast curing**
- Variable setting depth in concrete
- **Dry, wet and water-filled drill holes**
- Styrene free and low odour
- Colour of mortar: grey
- Indoor (zinc plated) and outdoor (stainless steel) applications



Applications






light steel constructions, frames, gates, light duty applications, façades, consoles



Temperatures

	-5±1°C	0±4°C	5±9°C	10±14°C	15±19°C	20±29°C	30±34°C	35±39°C
Working time, in minutes (t_{gel})	90	45	25	20	15	6	4	2
Curing time, in minutes (t_{cure})	360	180	120	100	80	45	25	20

Installation






Swiss Quality



MIT700RE Pure Epoxy

HOBSON Part prefix: MUCMT700 <<




Features

- European Technical Assessment guarantees a working life of at least 100 years
- Automatic hole cleaning with the innovative 2in1 Hollow Drill Bit (part of the assessment)
- European Technical Assessment Option 1 for cracked and non-cracked concrete with anchor rod and with rebar used as anchor
- European Technical Assessment for diamond drilled holes in non-cracked concrete
- European Technical Assessment for post-installed rebar connections
- Assessment of resistance under fire exposure F30-F120
- Assessment of resistance under fire exposure (Rebar)
- VOC free according to Swiss legislation and certified A+ according to DEVL 1101903D / DEVL 1104875A
- LEED - Test Report
- Certification for drinking water systems
- The anchor may also be used under seismic influence for performance category C1 + C2
- High Performance
- High loads
- Long working time for filling of big and deep drill holes
- Variable setting depth
- Application also in wet and water-filled drill holes
- Suitable for overhead fixings
- Colour of mortar: grey
- Indoor (zinc plated) and outdoor (stainless steel) applications

Applications


post-installed rebar connections, steel constructions, profiles, closing of ceilings, repair works



Temperatures

	0±4°C	5±9°C	10±14°C	15±19°C	20±24°C	25±34°C	35±39°C	≥ +40°C
Working time, in minutes (t_{gel})	90	80	60	40	30	12	8	8
Curing time, dry in hours (t_{cure})	144	48	28	18	12	9	6	4
Curing time, wet in hours (t_{cure})	288	96	128	36	24	18	12	8

Installation





Swiss Quality



Vinylester urethane MIT-HYBRID PLUS CARTRIDGE 280ML MUCMTHYP1710092	Vinylester urethane MIT-HYBRID PLUS CARTRIDGE 350ML MUCMTHYP1710096	Vinylester urethane MIT-HYBRID PLUS CARTRIDGE 400ML MUCMTHYP1710097	Vinylester urethane MIT-HYBRID PLUS CARTRIDGE 825ML MUCMTHYP1710098	Pure Epoxy MIT700RE CARTRIDGE 585ML MUCMT7001710161	Vinylester MIT-SE Plus STYRENE FREE CARTRIDGE 300ML MUCMTSEP1710017	Vinylester MIT-SE Plus STYRENE FREE CARTRIDGE 400ML MUCMTSEP1710026
Polyester MIT-SP STYRENE FREE CARTRIDGE 300ML MUCMTSP01710050	Polyester MIT-SP STYRENE FREE CARTRIDGE 350ML MUCMTSP01710057	Polyester MIT-SP STYRENE FREE CARTRIDGE 400ML MUCMTSP01710052	MIT-PP-H0 11 IN 1 FOR ALL MIT INJECTION GUN MUCMTPH0	MIT-PP-H1 FOR MIT 165/280/300ML EASY-PRESS MUCMTPH11710034	MIT-PP-H1 FOR MIT 350ML EASY-PRESS MUCMTPH11710035	MIT-PP-H1 FOR MIT 400ML EASY-PRESS MUCMTPH11710036
MIT-PP-HK FOR MIT 165-300ML SYSTEM-CASE EASY-PRESS MUCMTPHK1710201	MIT-PP-HK FOR MIT 350ML SYSTEM-CASE EASY-PRESS MUCMTPHK1710202	MIT-PP-HK FOR MIT 400ML SYSTEM-CASE EASY-PRESS MUCMTPHK1710203	MIT-PP-H2 FOR MIT 165/280/300ML INJECTION GUN MUCMTPH21710029	MIT-PP-H2 FOR MIT 350ML INJECTION GUN MUCMTPH21710033	MIT-PP-H2 FOR MIT 300/385/585ML INJECTION GUN MUCMTPH21710019	MIT-PP-H2 FOR MIT 400ML INJECTION GUN MUCMTPH21710009
MIT-PP-A FOR MIT 350ML CORDLESS INJECTION GUN MUCMTPPA1710221	MIT-PP-A FOR MIT 165-300ML CORDLESS INJECTION GUN MUCMTPPA1710046	MIT-PP-A FOR MIT 400ML CORDLESS INJECTION GUN MUCMTPPA1710021	MIT-PP-P FOR MIT 165-350ML PNEUMATIC INJECTION GUN MUCMTPPP1710040	MIT-PP-P FOR MIT 385-585ML PNEUMATIC INJECTION GUN MUCMTPPP1710048	MIT-PP-P FOR MIT 400ML PNEUMATIC INJECTION GUN MUCMTPPP1710020	MIT-PP-P FOR MIT 825ML PNEUMATIC INJECTION GUN MUCMTPPP1710031



Swiss Quality







MIT-PP-P FOR MIT 825ML  PNEUMATIC INJECTION GUN MUCMTPPP1710037	MIT-PP-P FOR MIT 1400ML  PNEUMATIC INJECTION GUN MUCMTPPP1710049	MIT-BN-H1  NYLON BRUSH MUCMTBNH	MIT-BS-H0  UNIVERSAL STEEL BRUSH MUCMTBH0	MIT-BS-H1  STEEL BRUSH MUCMTBH1	MIT-BS-M1  STEEL BRUSH MUCMTBM1	MIT-BS-MV  BRUSH EXTENSION MUCMTBMV
MIT-BS-MA  SDS-PLUS ADAPTER M6 MUCMTBMA	MIT-AP-HG1  PURGING PUMP 840ML MUCMTAPG	MIT-AP-HK0  PURGING PUMP 320ML MUCMTAPK	MIT-AP-D1  COMPRESSED AIR TOOL MUCMTAPD	MIT-VS  PISTON PLUGS MUCMTVS	Plastic MIT-MI-1  MIXER IN TWO PARTS FOR MIT600RE MUCMTMI1	Plastic MIT-MI-2  MIXER UNIVERSAL MUCMTMI2
Plastic MIT-MI-V1  MIXER EXTENSION MUCMTMV1	PVC MIT-MI-V2  EXTENSION 1M MUCMTMV2	Plastic MIT-SH-K0  SLEEVE MUCMTSH0	Plastic MIT-SH-K1  SLEEVE MUCMTSH1	Plastic MIT-SH-K2  SLEEVE MUCMTSH2	Metal MIT-SH-S0  SLEEVE MUCMTSHS	Z/P MIT-S Class 5.8  ANCHOR ROD KIT MUCMTS0
Z/P MIT-IGH  ANCHOR SLEEVE INT THREAD MUCMTIGH	Epoxy- Acrylate MVA  RESIN CAPSULE MUCMVA0	Z/P MVA-I Class 5.8  ANCHOR SLEEVE INT THREAD MUCMVAI0	SS 316 MVA-Ir  ANCHOR SLEEVE INT THREAD MUCMVAIR	PU Foam MPU-P50/B1  FIRE RATED DISPENSER FOAM 750ML MUCMPU5B	PU Foam MPU-P50 Universal Use  DISPENSER FOAM 750ML MUCMPU50	MRM-PU Cleaner  FOR PU-FOAM AND DISPENSER 500ML MUCMRMPU



Swiss Quality





PU Foam MPU-M50 Universal Use HAND HELD PU FOAM 750ML MUCMUM5	Metal MPP-M DISPENSER MUCMPPM	Nylon Metal MPP-K DISPENSER MUCMPPK	Nylon Metal MPP-H DISPENSER MUCMPPH0	Nylon MN ALL ROUNDER NYLON PLUG MUNMNPP	Nylon MNK NYLON PLUG WITH COLLAR MUNMNK	Nylon MNL NYLON PLUG LONG MUNMNL
Nylon MOB NYLON PLUG MQ/MU KIT 230 PCS MUNMOB	Nylon MQ QUATTRO® 80% > MN NYLON PLUG MUNMQPP	Nylon MU HOLLOW WALL MULTI PLUG NYLON MUNMUPP	Nylon ML HOLLOW BRICK PLUG DIAM 6/8 MUNML060	Nylon ML HOLLOW BRICK PLUG DIAM 10/14 MUNML100	Nylon MLK HOLLOW BRICK PLUG COLLAR DIAM 8 MUNMLK08	
Nylon MQ QUATTRO Nylon Plug Kit KIT IN MUNGO BOX MUNMQPM	Z/P & Nylon MNA-S HAMMER SCREW CSK COLLAR POZI DR MUNMNAS0	Z/P & Nylon MNA-S HAMMER SCREW CSK COLLAR POZI DR MUNMNASN	Z/P & Nylon MNA-Z HAMMER SCREW CYL COLLAR POZI DR MUNMNAZ	Z/P & Nylon MNA-G HAMMER SCREW LARGE COLLAR POZI DR MUNMNAZG	Z/P & Nylon MNA-G HAMMER SCREW LARGE COLLAR TORX DR MUNMNAZO	
SS 304 & Nylon MNAr-S HAMMER SCREW CSK COLLAR POZI DR MUNMNARS	SS 304 & Nylon MNAr-Z HAMMER SCREW CYL COLLAR POZI DR MUNMNARZ	Nylon White MDB NYLON DISC WHITE MUNMDB	Z/P & Nylon MNAF HAMMER SCREW WHITE POZI DR MUNMNAFW	Z/P & Nylon MNAF HAMMER SCREW YELLOW POZI DR MUNMNAFY	Z/P & Nylon MNAF HAMMER SCREW DARK BROWN POZI DR MUNMNAFB	Z/P & Nylon MQL-ST UNIVERSAL FRAME PLUG TORX DR MUNMQLST

Z/P & Nylon MQL-SS  UNIVERSAL FRAME PLUG HEX MUNMQLSS	Z/P & Nylon MQLK-STB  UNIVERSAL FRAME PLUG TORX/HEX DR MUNMQLKB	SS 316 & Nylon MQL-STr  UNIVERSAL FRAME PLUG TORX DR MUNMQLSR	HDG & Nylon MQLK-STBf  UNIVERSAL FRAME PLUG TORX/HEX DR MUNMQLKF	SS 316 & Nylon MQLK-STBr  UNIVERSAL FRAME PLUG TORX/HEX DR MUNMQLKR	Z/P & Nylon MB-ST  FRAME PLUG SOFT MATERIALS TORX DR MUNMBST0	Z/P & Nylon MB-SS  FRAME PLUG SOFT MATERIALS HEX MUNMBSS0
HDG & Nylon MB-SSf  FRAME PLUG SOFT MATERIALS HEX MUNMBSSF	Z/P & Nylon MB-S  FRAME PLUG SOFT MATERIALS POZI DR MUNMBS0	Z/P & Nylon MBK-STB  FRAME PLUG SOFT MATERIALS TORX/HEX DR MUNMBKSB	SS 316 & Nylon MB-STr  FRAME PLUG SOFT MATERIALS TORX DR MUNMBSTR	SS 316 & Nylon MB-SSr  FRAME PLUG SOFT MATERIALS HEX MUNMBSSR	SS 316 & Nylon MBK-STBr  FRAME PLUG SOFT MATERIALS TORX/HEX MUNMBKSR	Z/P & Nylon MB-SK MN5 Plug  FRAME PLUG WITH HEAD HOLE TORX MUNMBSK
Z/P & Nylon MB-SKm M5 Thread  FRAME PLUG WITH HEAD HOLE TORX MUNMBSKM	Z/P & Nylon MBR-ST  FRAME PLUG SOLID MATERIALS TORX MUNMBRST	Z/P & Nylon MBR-SS  FRAME PLUG SOLID MATERIALS HEX MUNMBRSS	Z/P & Nylon MBR-S  FRAME PLUG SOLID MATERIALS POZI MUNMBRS0	Z/P & Nylon MBRK-STB  FRAME PLUG SOLID MATERIALS TORX/HEX MUNMBRKS	SS 316 & Nylon MBR-STr  FRAME PLUG SOLID MATERIALS TORX MUNMBRTR	SS 316 & Nylon MBR-SSr  FRAME PLUG SOLID MATERIALS HEX MUNMBRSR
Z/P & Nylon MBR-SK MN5 Plug  FRAME PLUG WITH HEAD HOLE TORX MUNMBRSK	Z/P & Nylon MBR-SKm M5 Thread  FRAME PLUG WITH HEAD HOLE TORX MUNMBRSM	Z/P & Nylon MBR-XT  HIGH PERFORMANCE FRAME PLUG MUNMBRXT	Z/P & Nylon MBRK-XTB  HIGH PERFORMANCE FRAME PLUG MUNMBRKX	SS 316 & Nylon MBR-XTr  HIGH PERFORMANCE FRAME PLUG MUNMBRXR	SS 316 & Nylon MBRK-XTBr  HIGH PERFORMANCE FRAME PLUG MUNMBRKR	Nylon MGD  SCAFFOLD PLUG MUNMGD



Swiss Quality



Z/P MGV  SCAFFOLD SCREW MUNMGV0	Z/P MGVm  SCAFFOLD SCREW MUNMGVM	Plastic MDD-S Carbon Steel  INSULATION FIXING DIAM 60MM MUIMDDS	Plastic MDD-CE  INSULATION FIXING DIAM 60MM MUIMDDCE	Black MDS  INSULATION FIXING DIAM 90MM MUIMDS0	White MIS Lightweight Panel  INSULATION FIXING DIAM 88MM MUIMIS0	White MIP Mineral Wool  INSULATION FIXING DIAM 45MM MUIMIP0
Z/P MIDS  INSULATION NAIL DIAM 30/35MM MUIMIDS0	SS 304 MIDSr  INSULATION NAIL DIAM 30/35MM MUIMIDSR	Z/P MIDS-K  INSULATION NAIL DIAM 54MM MUIMIDSK	Nylon MDI  INSULATION PLUG MUIMDI25	Z/P MJP39  JET PLUG METAL MUSMJ390	Z/P MJP32  JET PLUG METAL MUSMJ32	Z/P MJP25  JET PLUG METAL MUSMJ25
Z/P MJP39-S  JET PLUG METAL POZI DR MUSMJ39S	Z/P MJP32-S  JET PLUG METAL POZI DR MUSMJ32S	Z/P MJPM  JET PLUG METAL MUSMJPM0	Natural Nylon MFJ32  JET PLUG PLASTERBOARD CHIPBOARD MUSMFJ32	Z/P & Nylon MFJ32-S  JET PLUG PLASTERBOARD CHIPBOARD MUSMFJ3S	Natural Nylon MFJ25  JET PLUG PLASTERBOARD CHIPBOARD MUSMFJ25	Z/P MK-M  CAVITY TOGGLE MUSMKM
Z/P MST  SNAPTOGGLE WALL ANCHOR MUSMST00	MPC Pro Cut  CUTTING DISC 1.0 - 1.9 MUDMPCP1	MPC Pro Cut  CUTTING DISC 2.5 - 3.0 MUDMPCP2	MPG Pro Grind  GRINDING DISC 6.5 MUDMPGPG	MDC Laser Beton  DIAMOND BLADE MUDMDCLB	MDC Power M  DIAMOND BLADE MUDMDCPM	DS500  DIAMOND BLADE MUDDS500

Z/P MSN  STEEL NAIL MUSMSN	MFB  DIAMOND DRILL BIT MUDMFB00	Z/P MEF  EASY-FIX LIGHTWEIGHT CONCRETE MUSMEF	SDS-PLUS MHP  HOLLOW DRILL BIT WITH ADAPTOR MUDMHPC0	PLASTIC MHP  HOLLOW DRILL BIT WITH ADAPTOR MUDMHPCA	SDS-MAX MHX  HOLLOW DRILL BIT WITH ADAPTOR MUDMHXC0	PLASTIC MHX  HOLLOW DRILL BIT WITH ADAPTOR MUDMHXCA
KEY  SDS-PLUS  SDS-MAX	SDS-PLUS JET-TRAC TRIPLO  DRILL BIT 3 CUTTER MUDJTTPR	SDS-PLUS MHP-D  DRILL BIT 2 CUTTER MUDMHDP0	SDS-PLUS MHP-T  DRILL BIT 3 CUTTER MUDMHPT0	SDS-PLUS MHP-Y  DRILL BIT Y CUTTER MUDMHPY0	SDS-PLUS MMP  FLAT CHISEL MUDMMPFC	SDS-PLUS MMP  HOLLOW CHISEL MUDMMPHC
SDS-PLUS MMP  POINTED CHISEL MUDMMPPC	SDS-PLUS MMP  SPADE CHISEL MUDMMPPC	SDS-PLUS MMP  TILE CHISEL MUDMMPTC	SDS-MAX MMX  BUSHING TOOL MUDMMXBT	SDS-MAX MMX  CHANNEL CHISEL MUDMMXCC	SDS-MAX MMX  FLAT CHISEL MUDMMXFC	SDS-MAX MMX  HOLLOW CHISEL MUDMMXHC
	SDS-MAX MMX  SLOTING CHISEL MUDMMXLC	SDS-MAX MMX  POINTED CHISEL MUDMMXPC	SDS-MAX MMX  SPADE CHISEL MUDMMXSC	SDS-MAX MMX  SEAM TOOL MUDMMXST	SDS-MAX MMX  WING CHISEL MUDMMXWC	