

Allthread / Threaded Rod

Thread Type: Metric - Coarse


Thread Direction: Right Hand

Material Finish: Galvanised

Class / Grade: High Tensile Class 8.8

Corrosion Protection Level: Excellent

Standard: DIN 975



*Cad Drawings shown for graphic representation only. **

Size	Thread Pitch (mm)	Thread Type	Product Diameter (D) (mm)		Allthread Length (L) (mm)	sku (Part Number)
			Min	Max		
M10	1.50mm	Coarse	9.42	10.58	1000	54H101G
M10	1.50mm	Coarse	9.42	10.58	3000	54H103G
M12	1.75mm	Coarse	11.30	12.70	1000	54H121G
M12	1.75mm	Coarse	11.30	12.70	3000	54H123G
M16	2.00mm	Coarse	15.30	16.70	1000	54H161G
M16	2.00mm	Coarse	15.30	16.70	3000	54H163G
M20	2.50mm	Coarse	19.67	20.00	1000	54H201G
M20	2.50mm	Coarse	19.67	20.00	3000	54H203G
M22	2.50mm	Coarse	21.67	22.00	1000	54H221G
M24	3.00mm	Coarse	23.67	24.00	1000	54H241G
M24	3.00mm	Coarse	23.67	24.00	3000	54H243G
M27	3.00mm	Coarse	26.58	26.95	1000	54H271G
M30	3.50mm	Coarse	29.52	29.95	1000	54H301G
M30	3.50mm	Coarse	29.52	29.95	3000	54H303G
M33	3.50mm	Coarse	32.52	32.95	1000	54H331G
M36	4.00mm	Coarse	35.46	35.94	1000	54H361G

Size	Thread Pitch (mm)	Thread Type	Product Diameter (D) (mm)		Allthread Length (L) (mm)	sku (Part Number)
			Min	Max		
M36	4.00mm	Coarse	35.46	35.94	3000	54H363G

Disclaimer:
Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.
* Cad Drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 29 Aug 2024