
Allthread / Threaded Rod

Thread Type: Metric - Coarse Thread Direction: Right Hand Material Finish: Stainless Steel Class / Grade: A2-70 G304

Corrosion Protection Level: Excellent

Standard: DIN 975



Cad Drawings shown for graphic representation only.*

Size	Thread Pitch (mm)	Thread Type	Product Diameter (D) (mm)		Allthread Length (L)	sku (Dat Nardan)
			Min	Max	(mm)	(Part Number)
МЗ	0.50mm	Coarse	2.87	2.98	1000	54S31
M4	0.70mm	Coarse	3.83	3.97	1000	54S41
M5	0.80mm	Coarse	4.82	5.00	1000	54S51
M6	1.00mm	Coarse	5.52	6.48	1000	54S61
M6	1.00mm	Coarse	5.52	6.48	3000	54S63
M8	1.25mm	Coarse	7.42	8.58	1000	54S81
M8	1.25mm	Coarse	7.42	8.58	3000	54\$83
M10	1.50mm	Coarse	9.42	10.58	1000	54S101
M10	1.50mm	Coarse	9.42	10.58	3000	54S103
M12	1.75mm	Coarse	11.30	12.70	1000	54S121
M12	1.75mm	Coarse	11.30	12.70	3000	54S123
M14	2.00mm	Coarse	13.73	14.00	1000	54S141
M16	2.00mm	Coarse	15.30	16.70	1000	54S161
M16	2.00mm	Coarse	15.30	16.70	3000	54S163
M20	2.50mm	Coarse	19.67	20.00	1000	54S201
M20	2.50mm	Coarse	19.67	20.00	3000	54S203

Size	Thread Pitch (mm)	Thread Type	Product Diameter (D) (mm)		Allthread Length (L)	sku (Part Number)
			Min	Max	(mm)	(Fait Number)
M24	3.00mm	Coarse	23.67	24.00	1000	54S241
M24	3.00mm	Coarse	23.67	24.00	3000	54S243

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 29 Aug 2024

^{*} Cad Drawings may not reflect diameter, thread length or overall length.