

## Machine Screw

**Head Style:** Raised Countersunk Head

**Drive Type:** Phillips


**Thread Type:** Metric - Coarse

**Material:** Stainless Steel

**Class Grade:** A2-70 G304

**Corrosion Protection Level:** Excellent

**Standard:** DIN 966 / JIS B 1111 : 1996



*Cad Drawings shown for graphic representation only.\**

Size	Thread Pitch (mm)	Thread Type	Product Diameter (D) (mm)		Head Diameter (A) (mm)		Head Height (H) (mm)	Countersunk Height (C) (mm)	Countersunk Angle	Driver Bit Size (AS)	sku (Part Number)
			Min	Max	Min	Max	Nom	Nom			
M3	0.50mm	Coarse	2.87	2.98	5.30	5.80	0.75	1.65	90°	PH1	21RCS3
M4	0.70mm	Coarse	3.83	3.97	7.14	7.90	1.00	2.20	90°	PH2	21RCS4
M5	0.80mm	Coarse	4.82	5.00	8.84	9.60	1.25	2.50	90°	PH2	21RCS5
M6	1.00mm	Coarse	5.82	6.00	10.57	11.70	1.50	3.00	90°	PH3	21RCS6

**Disclaimer:**

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

\* Cad Drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 29 Aug 2024