

Allthread


Thread Type: Metric - Coarse

Thread Direction: Right Hand

Material Finish: Nylon

Corrosion Protection Level: Excellent

Standard: DIN 975



*CAD drawings shown for graphic representation only.**

Size	Thread Pitch (mm)	Thread Type	Product Diameter (D) (mm)		Allthread Length (L) (mm)	Class Grade	sku (qfind)
			Min	Max	Nom		
M4	0.70	Coarse	3.83	3.97	1000	Low Tensile Class 4.6	54NY41
M5	0.80	Coarse	4.82	5.00	1000	Low Tensile Class 4.6	54NY51
M6	1.00	Coarse	5.52	6.48	1000	Low Tensile Class 4.6	54NY61
M8	1.25	Coarse	7.42	8.58	1000	Low Tensile Class 4.6	54NY81
M10	1.50	Coarse	9.42	10.58	1000	Low Tensile Class 4.6	54NY101
M12	1.75	Coarse	11.30	12.70	1000	Low Tensile Class 4.6	54NY121
M16	2.00	Coarse	15.30	16.70	1000	Low Tensile Class 4.6	54NY161
M20	2.50	Coarse	19.67	20.00	1000	Low Tensile Class 4.6	54NY201

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

* CAD drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 18 Mar 2024