

Machine Screw

Head Style: Countersunk Head

Drive Type: Phillips


Thread Type: Metric - Coarse

Material: Stainless Steel

Class Grade: A2-70 G304

Corrosion Protection Level: Excellent

Standard: DIN 965 (H)



*CAD drawings shown for graphic representation only.**

Size	Thread Pitch (mm)	Thread Type	Product Diameter (D) (mm)		Head Diameter (A) (mm)		Head Height (H) (mm)	Driver Bit Size (AS)	sku (qfind)
			Min	Max	Min	Max	Nom	Nom	
M1.6	0.40	Coarse	1.49	1.58	2.75	3.00	0.96	PH0	21CS16
M2	0.40	Coarse	1.88	1.98	3.50	3.80	1.20	PH1	21CS2
M2.5	0.40	Coarse	2.38	2.48	4.40	4.70	1.50	PH1	21CS25
M3	0.50	Coarse	2.87	2.98	5.30	5.60	1.65	PH1	21CS3
M4	0.70	Coarse	3.83	3.97	7.14	7.50	2.20	PH2	21CS4
M5	0.80	Coarse	4.82	5.00	8.84	9.20	2.50	PH2	21CS5
M6	1.00	Coarse	5.82	6.00	10.57	11.00	3.00	PH3	21CS6
M8	1.25	Coarse	7.78	8.00	14.07	14.50	4.00	PH4	21CS8

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

* CAD drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 19 Mar 2024