

Chemical Anchor Stud


Head Style: Hex Head

Material: Carbon Steel

Class Grade: Low Tensile Class 5.8

Material Finish: Zinc Yellow Plated

Corrosion Protection Level: Moderate



*CAD drawings shown for graphic representation only.**

| Size | Thread Size x Pitch | Length (mm) | Anchor Length (L) (mm) | Embedment Depth (mm) | Minimum Spacing (mm) | Min Base Material Thick (B) (mm) | Max Fast Thickness (G) (mm) | Drill Hole Size (mm) | Drive Size (AS) (mm) | sku (qfind) |
|------|---------------------|-------------|------------------------|----------------------|----------------------|----------------------------------|-----------------------------|----------------------|----------------------|-------------|
| | Nom | Nom | Nom | Nom | Nom | Nom | Nom | Nom | | |
| M8 | M8 x 1.25p | 110 | 110 | 80.00 | 40 | 100.00 | 16.00 | 10.00 | 13.00 | 65CA8110CP |
| M10 | M10 x 1.50p | 130 | 130 | 90.00 | 45 | 120.00 | 18.00 | 12.00 | 16.00 | 65CA10130CP |
| M12 | M12 x 1.75p | 160 | 160 | 110.00 | 55 | 140.00 | 23.00 | 14.00 | 18.00 | 65CA12160CP |
| M16 | M16 x 2.00p | 190 | 190 | 125.00 | 65 | 160.00 | 37.00 | 18.00 | 24.00 | 65CA16190CP |
| M20 | M20 x 2.50p | 260 | 260 | 170.00 | 85 | 220.00 | 58.00 | 22.00 | 30.00 | 65CA20260CP |
| M24 | M24 x 3.00p | 300 | 300 | 210.00 | 105 | 280.00 | 54.00 | 26.00 | 36.00 | 65CA24300CP |

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

*CAD drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 18 Mar 2024