


Wedge Anchor / Claw Bolt / Through Bolt

Material: Carbon Steel

Class Grade: Low Tensile Class 5.8

Material Finish: Zinc Yellow Plated

Corrosion Protection Level: Moderate



*CAD drawings shown for graphic representation only.**

Size	Thread Size x Pitch	Length (mm)	Anchor Length (L) (mm)	Min Hole Dia On Fixture (mm)	Embedment Depth (mm)	Minimum Spacing (mm)	Min Base Material Thick (B) (mm)	Drill Hole Size (mm)	Spanner Size (AS) (mm)	sku (qfind)
	Nom	Nom	Nom	Nom	Nom	Nom	Nom			
M6	M6 x 1.00p	55	55	8	40.00	35	100.00	6.00	10	65TB655
M6	M6 x 1.00p	85	85	8	40.00	35	100.00	6.00	10	65TB685
M6	M6 x 1.00p	100	100	8	40.00	35	100.00	6.00	10	65TB6100
M6	M6 x 1.00p	120	120	8	40.00	35	100.00	6.00	10	65TB6120
M8	M8 x 1.25p	50	50	10	40.00	40	100.00	8.00	13	65TB850
M8	M8 x 1.25p	80	80	10	40.00	40	100.00	8.00	13	65TB880
M8	M8 x 1.25p	100	100	10	40.00	40	100.00	8.00	13	65TB8100
M8	M8 x 1.25p	120	120	10	40.00	40	100.00	8.00	13	65TB8120
M10	M10 x 1.50p	65	65	12	60.00	55	100.00	10.00	17	65TB1065
M10	M10 x 1.50p	75	75	12	60.00	55	100.00	10.00	17	65TB1075
M10	M10 x 1.50p	90	90	12	60.00	55	100.00	10.00	17	65TB1090
M10	M10 x 1.50p	120	120	12	60.00	55	100.00	10.00	17	65TB10120
M12	M12 x 1.75p	80	80	15	70.00	75	130.00	12.00	19	65TB1280
M12	M12 x 1.75p	100	100	15	70.00	75	130.00	12.00	19	65TB12100
M12	M12 x 1.75p	140	140	15	70.00	75	130.00	12.00	19	65TB12140

Size	Thread Size x Pitch	Length (mm)	Anchor Length (L) (mm)	Min Hole Dia On Fixture (mm)	Embedment Depth (mm)	Minimum Spacing (mm)	Min Base Material Thick (B) (mm)	Drill Hole Size (mm)	Spanner Size (AS) (mm)	sku (qfind)
	Nom	Nom	Nom	Nom	Nom	Nom	Nom	Nom		
M12	M12 x 1.75p	180	180	15	70.00	75	130.00	12.00	19	65TB12180
M16	M16 x 2.00p	105	105	20	80.00	100	170.00	16.00	24	65TB16105
M16	M16 x 2.00p	125	125	20	80.00	100	170.00	16.00	24	65TB16125
M16	M16 x 2.00p	140	140	20	80.00	100	170.00	16.00	24	65TB16140
M16	M16 x 2.00p	190	190	20	80.00	100	170.00	16.00	24	65TB16190
M20	M20 x 2.50p	125	125	24	90.00	110	200.00	20.00	30	65TB20125
M20	M20 x 2.50p	160	160	24	90.00	110	200.00	20.00	30	65TB20160
M20	M20 x 2.50p	200	200	24	90.00	110	200.00	20.00	30	65TB20200

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.
 * CAD drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 18 Mar 2024