
## **All Metal Lock Nut**

Thread Type: Metric - Coarse Thread Direction: Right Hand

Material: Stainless Steel Class Grade: A2-70 G304

Corrosion Protection Level: Excellent

Standard: DIN 980



Cad Drawings shown for graphic representation only.\*

| Size | Thread Pitch<br>(mm) | Thread Type | Overall Nut Height (B)<br>(mm) | Hex Height (H)<br>(mm) | t (H) Across Flats (AF) (mm) |       | Spanner Size (AF)<br>(mm) | sku<br>(Part Number) |
|------|----------------------|-------------|--------------------------------|------------------------|------------------------------|-------|---------------------------|----------------------|
|      |                      |             | Nom                            | Nom                    | Min                          | Max   | \:\ <b>\</b>              | (Fait Number)        |
| M4   | 0.70mm               | Coarse      | 4.00                           | 3.10                   | 6.78                         | 7.00  | 7mm                       | 41AMLS4              |
| M5   | 0.80mm               | Coarse      | 5.10                           | 3.80                   | 7.78                         | 8.00  | 8mm                       | 41AMLS5              |
| M6   | 1.00mm               | Coarse      | 5.40                           | 4.80                   | 9.78                         | 10.00 | 10mm                      | 41AMLS6              |
| M8   | 1.25mm               | Coarse      | 6.90                           | 5.60                   | 12.73                        | 13.00 | 13mm                      | 41AMLS8              |
| M10  | 1.50mm               | Coarse      | 8.50                           | 6.80                   | 16.73                        | 17.00 | 17mm                      | 41AMLS10             |
| M12  | 1.75mm               | Coarse      | 10.30                          | 8.70                   | 18.67                        | 19.00 | 19mm                      | 41AMLSM12            |
| M16  | 2.00mm               | Coarse      | 14.60                          | 12.30                  | 23.67                        | 24.00 | 24mm                      | 41AMLS16             |
| M20  | 2.50mm               | Coarse      | 17.30                          | 15.00                  | 29.16                        | 30.00 | 30mm                      | 41AMLS20             |
| M24  | 3.00mm               | Coarse      | 21.50                          | -                      | 35.16                        | 36.00 | 36mm                      | 41AMLS24             |

## Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

\* Cad Drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 20 Mar 2025