Conelock Nut

Thread Type: UNC / BSW - Coarse Thread Direction: Right Hand

Material: Carbon Steel


Class Grade: High Tensile Grade C


Finish: Zinc Plated

Corrosion Protection Level: Moderate

Standard: IFI100-107 Grade C

Comments: UNC and BSW have the same thread per inch value, except for 1/2"





Cad Drawings shown for graphic representation only.*

Size	Thread Pitch (TPI)	Thread Type	Overall Nut Height (B) (mm)		Hex Height (H) (mm)	Across Flats (AF) (mm)		Spanner Size (AF)	sku (Dorf November)
			Min	Max	Nom	Min	Max	(inches)	(Part Number)
1/4"	20 TPI	Coarse	5.30	6.00	3.69	10.88	11.16	7/16"	41CLC14
5/16"	18 TPI	Coarse	6.55	8.00	4.22	12.43	12.76	1/2"	41CLC516
3/8"	16 TPI	Coarse	8.10	8.60	5.03	14.00	14.28	9/16"	41CLC38
7/16"	14 TPI	Coarse	9.00	10.00	5.67	17.15	17.48	11/16"	41CLC716
1/2"	13 TPI	Coarse	10.85	12.00	6.66	18.70	19.05	3/4"	41CLC12
9/16"	12 TPI	Coarse	12.00	12.60	7.27	21.87	22.23	7/8"	41CLC916
5/8"	11 TPI	Coarse	13.60	14.30	8.36	23.42	23.83	15/16"	41CLC58
3/4"	10 TPI	Coarse	15.65	16.90	9.71	27.64	28.58	1-1/8"	41CLC34
7/8"	9 TPI	Coarse	18.00	20.00	11.43	32.24	33.33	1-5/16"	41CLC78
1"	8 TPI	Coarse	21.00	24.00	13.04	36.83	38.16	1-1/2"	41CLC1
urces and no nere discrepa akes no warr	ot acquired through standard ag ancies are found they are subject anties or representations regard	vas obtained from publically avail encies. It has been completed an at to change without notice. Bolt & ing the accuracy and validity of the ccurate and detailed information.	d compiled for reference k Nut Australia ne compiled information			-1/		© Bolt & Nut Au	stralia Ry Ltd. All rights rese Version: 25 Auç

Disclaimer:

Contact the relevant standard authorities for accurate and detailed information. * Cad Drawings may not reflect diameter, thread length or overall length.