

## Flange Nut

**Thread Type:** Metric - Coarse

**Thread Direction:** Right Hand


**Material:** Nylon

**Class Grade:** Low Tensile Class 4.6

**Finish:** White

**Corrosion Protection Level:** Excellent

**Standard:** DIN 6923



*CAD drawings shown for graphic representation only.\**

Size	Thread Pitch (mm)	Thread Type	Overall Nut Height (B) (mm)		Hex Height (H) (mm)		Flange Diameter (F) (mm)		Across Flats (AF) (mm)		Spanner Size (AF) (mm)	sku (qfind)
			Min	Max	Min	Max	Min	Max	Min	Max		
M4	0.70	Coarse	4.00	4.35	2.70	2.90	9.30	9.60	6.78	7.00	7	41FLNY4
M5	0.80	Coarse	5.10	5.40	4.00	4.30	10.80	11.20	7.78	8.00	8	41FLNY5
M6	1.00	Coarse	5.64	6.00	5.70	6.00	12.90	13.30	9.78	10.00	10	41FLNY6
M8	1.25	Coarse	7.20	7.60	5.80	6.10	16.60	17.00	12.73	13.00	13	41FLNY8
M10	1.50	Coarse	9.30	9.70	7.20	7.60	21.10	21.50	15.73	16.00	16	41FLNY10
M12	1.75	Coarse	12.60	12.80	9.60	10.00	27.00	27.50	17.73	18.00	18	41FLNY12
M16	2.00	Coarse	16.40	16.80	13.10	13.60	34.40	34.90	23.50	24.00	24	41FLNY16
M20	2.50	Coarse	19.90	20.50	16.40	16.90	42.80	43.90	29.16	30.00	30	41FLNY20

**Disclaimer:**

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

\* CAD drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 18 Mar 2024