## **Standard Full Nut**

**Thread Type**: Metric - Coarse **Thread Direction**: Right Hand


Material: Carbon Steel

Class Grade: High Tensile Class 8

Finish: Plain Black Uncoated

Corrosion Protection Level: Poor

Standard: AS 1112



CAD drawings shown for graphic representation only.\*

| Size | Thread Pitch<br>(mm) | Thread Type | Overall Nut Height (B)<br>(mm) |       | Across Flats (AF)<br>(mm) |       | Spanner Size (AF) | sku<br>(qfind) |
|------|----------------------|-------------|--------------------------------|-------|---------------------------|-------|-------------------|----------------|
|      |                      |             | Min                            | Max   | Min                       | Max   | (mm)              | (чина)         |
| M6   | 1.00                 | Coarse      | 4.90                           | 5.20  | 9.78                      | 10.00 | 10                | 416P           |
| M8   | 1.25                 | Coarse      | 6.44                           | 6.93  | 12.73                     | 13.00 | 13                | 418P           |
| M10  | 1.50                 | Coarse      | 8.04                           | 8.40  | 15.73                     | 16.00 | 16                | 4110P          |
| M12  | 1.75                 | Coarse      | 10.37                          | 10.80 | 17.73                     | 18.00 | 18                | 4112P          |
| M14  | 2.00                 | Coarse      | 12.10                          | 12.80 | 20.67                     | 21.00 | 21                | 4114P          |
| M16  | 2.00                 | Coarse      | 14.10                          | 14.80 | 23.67                     | 24.00 | 24                | 4116P          |
| M18  | 2.50                 | Coarse      | 14.30                          | 15.00 | 23.67                     | 24.00 | 24                | 4118P          |
| M20  | 2.50                 | Coarse      | 16.90                          | 18.00 | 29.16                     | 30.00 | 30                | 4120P          |
| M22  | 2.50                 | Coarse      | 19.80                          | 21.10 | 33.00                     | 34.00 | 34                | 4122P          |
| M24  | 3.00                 | Coarse      | 20.20                          | 21.50 | 35.16                     | 36.00 | 36                | 4124P          |
| M30  | 3.50                 | Coarse      | 24.30                          | 25.60 | 45.00                     | 46.00 | 46                | 4130P          |

## Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

<sup>\*</sup> CAD drawings may not reflect diameter, thread length or overall length.