

Thin Lock Nut

Thread Type: Metric - Coarse


Thread Direction: Right Hand

Material: Stainless Steel

Class Grade: A4-70 G316

Corrosion Protection Level: Ultimate

Standard: DIN 439



*CAD drawings shown for graphic representation only.**

Size	Thread Pitch (mm)	Thread Type	Overall Nut Height (B) (mm)		Across Flats (AF) (mm)		Spanner Size (AF) (mm)	sku (qfind)
			Min	Max	Min	Max		
M3	0.50	Coarse	1.55	1.75	5.32	5.50	5.5	41LS3M
M4	0.70	Coarse	1.95	2.20	6.78	7.00	7	41LS4M
M5	0.80	Coarse	2.45	2.70	7.78	8.00	8	41LS5M
M6	1.00	Coarse	2.90	3.20	9.78	10.00	10	41LS6M
M8	1.25	Coarse	3.70	4.00	12.73	13.00	13	41LS8M
M10	1.50	Coarse	4.70	5.00	16.73	17.00	17	41LS10M
M12	1.75	Coarse	5.70	6.00	18.67	19.00	19	41LS12M
M14	2.00	Coarse	6.42	7.00	21.67	22.00	22	41LS14M
M16	2.00	Coarse	7.42	8.00	23.67	24.00	24	41LS16M
M20	2.50	Coarse	9.10	10.00	29.16	30.00	30	41LS20M
M22	2.50	Coarse	7.30	9.10	31.00	32.00	32	41LS22M
M24	3.00	Coarse	10.90	12.00	35.16	36.00	36	41LS24M
M30	3.50	Coarse	13.90	15.00	45.00	46.00	46	41LS30M
M36	4.00	Coarse	16.90	18.00	53.80	55.00	55	41LS36M

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

* CAD drawings may not reflect diameter, thread length or overall length.