
## **Thin Lock Nut**

Thread Type: UNF - Fine Thread Direction: Right Hand

Material: Stainless Steel Class Grade: A4-70 G316

Corrosion Protection Level: Ultimate

Standard: ANSI B18.2.2



CAD drawings shown for graphic representation only.\*

Size	Thread Pitch (TPI)	Thread Type	Overall Nut Height (B) (mm)		Across Flats (AF) (mm)		Spanner Size (AF) (inches)	sku (afind)
			Min	Max	Min	Max	(inches)	(qfind)
#10-32 (3/16")	32	Fine	2.93	3.31	9.20	9.53	3/8	41SF1032M
1/4"	28	Fine	3.81	4.15	10.88	11.16	7/16	41LSF14M
5/16"	24	Fine	4.57	5.08	12.43	12.76	1/2	41LSF516M
3/8"	24	Fine	5.34	5.77	14.00	14.28	9/16	41LSF38M
1/2"	20	Fine	7.68	8.21	18.70	19.05	3/4	41LSF12M
5/8"	18	Fine	9.23	9.83	23.42	23.83	15/16	41LSF58M
3/4"	16	Fine	10.11	11.33	27.64	28.58	1-1/8	41LSF34M
1"	12	Fine	13.19	14.61	36.83	38.16	1-1/2	41LSF1M

## Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

\* CAD drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 18 Mar 2024