

Countersunk Head Nutsert

Body Type: Round Open

Outside Body: Splined | Knurled


Thread Type: Metric - Coarse

Body Material: Low Carbon Steel

Class Grade: Low Tensile Class 4.6

Finish: Zinc Plated

Corrosion Protection Level: Moderate



*CAD drawings shown for graphic representation only.**

Size	Thread Pitch (mm)	Thread Type	Material Grip Range (G) (mm)		Overall Nut Height (B) (mm)	Head Diameter (C) (mm)	Nut Width (A) (mm)	Flange Thickness (H) (mm)	Recommended Hole Size (mm)	Pull Out (KN)	Push Out (KN)	Torque To Turn (NM)	sku (qfind)
			Min	Max	Nom	Nom	Nom	Nom	Nom	Nom	Nom	Nom	
M3	0.50	Coarse	0.50	1.50	9.00	5.70	4.95	0.40	5.00	2	0	2	43C3SP
M4	0.70	Coarse	0.50	2.50	11.20	6.50	5.95	0.45	6.00	3	1	4	43C4SP
M4	0.70	Coarse	2.50	4.00	12.00	6.50	5.95	0.45	6.00	3	1	4	43C4SP2
M5	0.80	Coarse	0.50	3.00	12.00	7.60	6.95	0.50	7.00	7	1	7	43C5SP
M5	0.80	Coarse	2.50	4.00	14.00	7.60	6.95	0.50	7.00	7	1	7	43C5SP2
M6	1.00	Coarse	0.50	3.00	15.00	10.00	8.95	0.50	9.00	13	2	12	43C6SP
M6	1.00	Coarse	3.00	5.00	17.00	10.00	8.95	0.50	9.00	13	2	12	43C6SP2
M8	1.25	Coarse	0.70	3.00	17.30	12.00	10.95	0.50	11.00	18	2	16	43C8SP
M8	1.25	Coarse	3.00	5.50	18.50	12.00	10.95	0.50	11.00	18	2	16	43C8SP2
M10	1.50	Coarse	1.00	4.00	20.50	14.00	12.95	0.60	13.00	19	3	34	43C10SP
M10	1.50	Coarse	4.00	6.00	23.50	14.00	12.95	0.60	13.00	19	3	32	43C10SP2

Disclaimer:

Dimensional data and technical information was obtained from publicly available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

* CAD drawings may not reflect diameter, thread length or overall length.