


External Circlip

Material: Stainless Steel

Class Grade: G420

Corrosion Protection Level: Very Good

Standard: DIN 471



*CAD drawings shown for graphic representation only.**

Size	Inside Dia. (ID) (mm)	Circlip Outside Dia. (d) (mm)	Thickness (T) (mm)	Groove Size (G) (mm)	Groove Width (W) (mm)	Hole Size Min (D5) (mm)	Lug Height Max (A) (mm)	Max Ring Dia (B) (mm)	sku (qfind)
	Nom	Nom	Nom	Nom	Nom	Nom	Nom	Nom	
3mm	2.70	3.50	0.40	2.80	0.50	1.00	1.90	0.80	37CXS3
4mm	3.70	4.90	0.40	3.80	0.50	1.00	2.20	0.90	37CXS4
5mm	4.70	6.45	0.60	4.80	0.70	1.00	2.50	1.10	37CXS5
6mm	5.60	7.30	0.70	5.70	0.80	1.20	2.70	1.30	37CXS6
7mm	6.50	8.90	0.80	6.70	0.90	1.20	3.10	1.40	37CXS7
8mm	7.40	9.60	0.80	7.60	0.90	1.20	3.20	1.50	37CXS8
9mm	8.40	11.20	1.00	8.60	1.10	1.20	3.30	1.70	37CXS9
10mm	9.30	12.20	1.00	9.60	1.10	1.50	3.30	1.80	37CXS10
11mm	10.20	13.10	1.00	10.50	1.10	1.50	3.30	1.80	37CXS11
12mm	11.00	14.50	1.00	11.50	1.10	1.70	3.30	1.80	37CXS12
13mm	11.90	15.00	1.00	12.40	1.10	1.70	3.40	2.00	37CXS13
14mm	12.90	16.20	1.00	13.40	1.10	1.70	3.50	2.10	37CXS14
15mm	13.80	17.30	1.00	14.30	1.10	1.70	3.60	2.20	37CXS15
16mm	14.70	18.10	1.00	15.20	1.10	1.70	3.70	2.20	37CXS16

Size	Inside Dia. (ID) (mm)	Circlip Outside Dia. (d) (mm)	Thickness (T) (mm)	Groove Size (G) (mm)	Groove Width (W) (mm)	Hole Size Min (D5) (mm)	Lug Height Max (A) (mm)	Max Ring Dia (B) (mm)	sku (qfind)
	Nom	Nom	Nom	Nom	Nom	Nom	Nom	Nom	
17mm	15.70	19.10	1.00	16.20	1.10	1.70	3.80	2.30	37CXS17
18mm	16.50	20.30	1.20	17.00	1.10	2.00	3.90	2.40	37CXS18
19mm	17.50	21.10	1.20	18.00	1.30	2.00	3.90	2.50	37CXS19
20mm	18.50	22.60	1.20	19.00	1.30	2.00	4.00	2.60	37CXS20
21mm	19.50	23.40	1.20	20.00	1.30	2.00	4.10	2.70	37CXS21
22mm	20.50	24.70	1.20	21.00	1.30	2.00	4.20	2.80	37CXS22
23mm	21.40	25.70	1.20	22.00	1.30	2.00	4.30	2.90	37CXS23
24mm	22.20	27.00	1.20	22.90	1.30	2.00	4.40	3.00	37CXS24
25mm	23.20	28.00	1.20	23.90	1.30	2.00	4.40	3.00	37CXS25
26mm	24.20	28.60	1.20	24.90	1.30	2.00	4.50	3.10	37CXS26
27mm	25.10	29.70	1.20	25.60	1.30	2.00	4.60	3.10	37CXS27
28mm	25.90	30.70	1.50	26.60	1.60	2.00	4.70	3.20	37CXS28
29mm	26.90	31.90	1.50	27.60	1.60	2.00	4.80	3.30	37CXS29
30mm	27.90	32.20	1.50	28.60	1.60	2.00	5.00	3.40	37CXS30
32mm	29.60	34.90	1.50	30.30	1.60	2.50	5.20	3.60	37CXS32
34mm	31.50	37.10	1.50	32.30	1.60	2.50	5.40	3.80	37CXS34
35mm	32.20	38.00	1.50	33.00	1.60	2.50	5.60	3.90	37CXS35
36mm	33.20	39.40	1.75	34.00	1.85	2.50	5.60	4.00	37CXS36
38mm	35.20	41.90	1.75	36.00	1.85	2.50	5.80	4.20	37CXS38
39mm	36.00	42.40	1.75	37.00	1.85	2.50	5.90	4.30	37CXS39
40mm	36.50	43.50	1.75	37.50	1.85	2.50	6.00	4.40	37CXS40
42mm	38.50	45.00	1.75	39.50	1.85	2.50	6.50	4.50	37CXS42
45mm	41.50	48.30	1.75	42.50	1.85	2.50	6.70	4.70	37CXS45
48mm	44.50	51.50	1.75	45.50	1.85	2.50	6.90	5.00	37CXS48
50mm	45.80	53.20	2.00	47.00	2.15	2.50	6.90	5.10	37CXS50
55mm	50.80	58.40	2.00	52.00	2.15	2.50	6.90	5.40	37CXS55
60mm	55.80	64.00	2.00	57.00	2.15	2.50	7.40	5.80	37CXS60

Size	Inside Dia. (ID) (mm)	Circlip Outside Dia. (d) (mm)	Thickness (T) (mm)	Groove Size (G) (mm)	Groove Width (W) (mm)	Hole Size Min (D5) (mm)	Lug Height Max (A) (mm)	Max Ring Dia (B) (mm)	sku (qfind)
	Nom	Nom	Nom	Nom	Nom	Nom	Nom	Nom	
65mm	60.80	69.90	2.50	62.00	2.65	3.00	7.80	6.30	37CXS65
70mm	65.50	75.20	2.50	67.00	2.65	3.00	8.10	6.60	37CXS70
75mm	70.50	80.00	2.50	72.00	2.65	3.00	8.40	7.00	37CXS75
80mm	74.50	86.00	2.50	76.50	2.65	3.00	8.60	7.40	37CXS80
85mm	79.50	92.00	3.00	81.50	3.15	3.50	8.70	7.80	37CXS85
95mm	89.50	103.00	3.00	91.50	3.15	3.50	9.40	8.60	37CXS95
100mm	94.50	108.00	3.00	96.50	3.15	3.50	9.60	9.00	37CXS100

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

* CAD drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 18 Mar 2024