

Self Drilling Metal Screw with Wings

Head Style: Countersunk Head Ribbed

Drive Type: Phillips Material: Hardened Steel Class Grade: Class 2 Finish: Zinc Yellow

Corrosion Protection Level: Moderate





CAD drawings shown for graphic representation only.*

| Size | Thread Pitch (TPI) | Thread Type | Product Diameter (D) (mm) | | Head Diameter (A) (mm) | | Head Height (H) (mm) | Drill Point Length (P) (mm) | Min To Max Steel Thickness (mm) | | Driver Bit Size (AS) | sku (qfind) |
|-----------------|--------------------------|----------------|---------------------------------|------|------------------------------|------|----------------------------|-----------------------------------|---------------------------------------|------|-------------------------|----------------|
| | | | Min | Max | Min | Max | Nom | Nom | Min | Max | Nom | |
| 6g (3.50mm) | 20 | Coarse | 3.40 | 3.50 | 6.60 | 6.90 | 2.40 | 10.00 | 1.00 | 2.30 | PH2 | 08CRW62042 |
| 8g (4.20mm) | 18 | Coarse | 4.00 | 4.20 | 7.70 | 8.10 | 2.82 | 11.00 | 1.00 | 2.50 | PH2 | 08CRW81832 |
| 10g (4.80mm) | 16 | Coarse | 4.65 | 4.80 | 8.80 | 9.20 | 3.32 | 14.00 | 0.75 | 3.50 | PH2 | 08CRW1016 |

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

* CAD drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 18 Mar 2024