

Plasterboard Timber Screw

Head Style: Bugle Head

Drive Type: Phillips

Screw Point: Needle Point


Material: Carbon Steel SAE 1022

Class Grade: Class 2

Finish: Zinc Yellow

Corrosion Protection Level: Moderate

Internal External: Internal



Cad Drawings shown for graphic representation only.*

Size	Thread Pitch (TPI)	Thread Type	Product Diameter (D) (mm)		Head Diameter (A) (mm)		Head Height (H) (mm)		Min To Max Steel Thickness (mm)		Single Shear (kN)	Axial Tensile (kN)	Torsional (Nm)	Driver Bit Size (AS)	sku (Part Number)
			Min	Max	Min	Max	Min	Max	Min	Max	Nom	Nom	Nom		
6g (3.50mm)	18 TPI	Fine	3.40	3.50	8.20	8.40	3.00	3.20	0.42	1.00	3.300	5.500	3.600	PH2	07BU61820
6g (3.50mm)	9 TPI	Coarse	3.40	3.50	8.20	8.40	3.00	3.20	0.42	1.00	3.000	5.100	3.400	PH2	07BU6920
7g (3.90mm)	16 TPI	Fine	3.80	3.90	8.20	8.40	3.00	3.20	0.42	1.00	3.400	5.800	4.500	PH2	07BU71620
7g (3.90mm)	9 TPI	Coarse	3.80	3.90	8.20	8.40	3.00	3.20	0.42	1.00	3.200	5.500	4.200	PH2	07BU7920
8g (4.20mm)	15 TPI	Fine	4.00	4.20	8.40	8.60	3.00	3.20	0.42	1.00	4.100	8.700	5.900	PH2	07BU81550
8g (4.20mm)	9 TPI	Coarse	4.00	4.20	8.40	8.60	3.00	3.20	0.42	1.00	4.600	7.900	5.800	PH2	07BU8950
10g (4.80mm)	15 TPI	Fine	4.65	4.80	8.60	8.80	3.20	3.40	0.42	1.00	10.100	11.800	7.900	PH2	07BU1015100
10g (4.80mm)	8 TPI	Coarse	4.65	4.80	8.60	8.80	3.20	3.40	0.42	1.00	5.400	9.300	7.200	PH2	07BU10850

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

* Cad Drawings may not reflect diameter, thread length or overall length.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 20 Feb 2025