

Square U Bolt and Nut Kit

Thread Type: Metric - Coarse


Material: Mild Steel

Class Grade: Low Tensile Class 4.6

Finish: Galvanised

Corrosion Protection Level: Excellent

Standard: Made to Hobson Engineering Standard



CAD drawings shown for graphic representation only.*

Size	Thread Pitch (mm)	Thread Type	Inside Width (W) (mm)		Centre Width (A) (mm)		Overall length Inside (L) (mm)		Thread Length Per Leg (T) (mm)		sku (qfind)
			Min	Max	Min	Max	Min	Max	Min	Max	
M10	1.50	Coarse	23.00	25.00	33.00	35.00	59.00	61.00	39.00	41.00	58US102460G
M10	1.50	Coarse	41.00	43.00	51.00	53.00	85.00	87.00	49.00	51.00	58US104286G
M12	1.75	Coarse	41.00	43.00	53.00	55.00	114.00	116.00	49.00	51.00	58US1242115G
M12	1.75	Coarse	43.00	45.00	55.00	57.00	109.00	111.00	49.00	51.00	58US1244110G
M12	1.75	Coarse	51.00	53.00	63.00	65.00	79.00	81.00	49.00	51.00	58US125280G
M12	1.75	Coarse	51.00	53.00	63.00	65.00	109.00	111.00	49.00	51.00	58US1252110G
M12	1.75	Coarse	51.00	53.00	63.00	65.00	144.00	146.00	49.00	51.00	58US1252145G
M12	1.75	Coarse	51.00	53.00	63.00	65.00	164.00	166.00	49.00	51.00	58US1252165G
M12	1.75	Coarse	66.00	68.00	78.00	80.00	89.00	91.00	49.00	51.00	58US126790G
M12	1.75	Coarse	76.00	78.00	88.00	90.00	79.00	81.00	49.00	51.00	58US127780G
M12	1.75	Coarse	76.00	78.00	88.00	90.00	109.00	111.00	49.00	51.00	58US1277110G
M12	1.75	Coarse	126.00	128.00	138.00	140.00	159.00	161.00	49.00	51.00	58US12127160G

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

* CAD drawings may not reflect diameter, thread length or overall length.

